


# DMK 大注射量 PET专用注塑机

LARGE SHOT WEIGHT PET PREFORM INJECTION MACHINE






DEMARC


# DMK-PET SERIES PROFESSIONAL AND STABLE PREFORM PRODUCTION

专业稳定的瓶坯生产

- 1 锁模力小,注射量大,合适各种瓶坯模具的要求。
- 2 液压马达,低速高扭矩,装填原料稳定快速。
- 3 特别为PET原料设计的大直径螺杆和螺杆桶。
- 4 增加了脱模力和行程,改善脱模速度。
- 5 装备了特殊冷却水分配器和空气压缩阀,易于操作。
- 6 最大模具高度可允许各种型号的瓶坯模具。
- 7 模板可根据瓶坯模具来打孔,取消锁模板以固定模具。
- 8 装备槽孔,便于传输瓶坯。

- 1 Small clamping unit with large shot weight,suitable for different PET preform mould requirements.
- 2 Equip with low speed and high torque hydraulic motor which is good for charging material stably and fast.
- 3 Big diameter screw and barrel, special design for PET material.
- 4 Increased ejector force and stroke to improve the ejecting speed.
- 5 Equip with special cooling water distributor and compressed air valve for easy operation.
- 6 Max mould height is big for different type preform mould.
- 7 Platen hole could be drilled specially according to preform mould, cancel clamp plate for fixing mould.
- 8 Equipped with socket for preform conveyer.





德玛克保留对  
Demark res

conservation change without prio

